

Amendments to Claims:

Listing of Claims:

5 Please amend the following claims:

Claim 1-11 (Cancelled)

[[1.]] 12. (Currently Amended) In an integrated digital monitoring system

10 comprising a fixed network including a controller and a plurality of detectors, and a
mobile network including a plurality of mobile sensors associated with a plurality of
mobile objects, such sensors and detectors coupled to the Internet, a method for object
surveillance comprising the steps of:

receiving from at least one detector of the fixed network a first signal for
15 monitoring an object associated therewith;

receiving from at least one sensor of the mobile network a second signal for
monitoring the associated object;

determining a location of the associated object according to the first signal or the
second signal; and

20 storing in a database the location of the associated object.

[[2.]] 13. (Currently Amended) The method of Claim [[1]] 12 further comprising
the steps of:

selecting a local product source relatively proximate to the object location;
25 and

sending an indication of the selected product source through at least part of the mobile network for consideration by the object.

5 [[3.]] 14. (Currently Amended) The method of Claim [[1]] 12 further comprising the steps of:

receiving from at least one detector of the fixed network a third signal for monitoring the object associated therewith;

receiving from at least one sensor of the mobile network a fourth signal for monitoring the associated object;

B⁷ 10 determining a changed location of the associated object according to the third signal or the fourth signal; and

storing in the database the changed location of the associated object.

15 [[4.]] 15. (Currently Amended) The method of Claim [[1]] 12 further comprising the steps of:

providing a map including the object location; and

displaying the map and the object location included therein.

Claim 16-21 (Cancelled)

20 [[5.]] 22. (Currently Amended) The method of Claim [[1]] 12 wherein:

the second signal being generated by a mobile detector coupled to such associated object when such given object is moveable within an observable range, the first signal

being generated by a fixed detector uncoupled to such associated object in the observable range.

5 [[6.]] 23. (Currently Amended) The method of Claim [[5]] 22 wherein:
the mobile detector comprises an accelerometer.

10 [[7.]] 24. (Currently Amended) The method of Claim [[1]] 12 further
comprising the step of:
employing a software agent associated with such associated object to access the
database.

15 [[8.]] 25. (Currently Amended) The method of Claim [[1]] 12 further comprising
the step of:
communicating with such associated object using a portable identifier associated
with such associated object.

20 [[9.]] 26. (Currently Amended) The method of Claim [[1]] 12 further comprising
the step of:
employing a software agent associated with such associated object to access the
database.

 [[10.]] 27. (Currently Amended) The method of Claim [[1]] 12 further
comprising the step of:

communicating with such associated object using a portable identifier associated with such given object.

[[11.]] 28. (Currently Amended) The method of Claim [[1]] 12 wherein:

such associated object is monitored temporarily using an extrapolated or last-
5 stored positional or visual signal.

[[12.]] 29. (Currently Amended) The method of Claim [[1]] 12 wherein:

such associated object is authenticated according to a voice pattern, a finger-print
B⁷ pattern, a handwritten signature, or a magnetic or smart-card signal.

10

[[13]] 30. (Currently Amended) The method of Claim [[10]] 27 further comprising the step of:

providing to such associated object an electronic file comprising a book, a
greeting card, a news report, a sports report, a stock report, an artwork, a research
15 database, a personal list, a recorded or live voice or music transmission, an electronic
tool, or a commercial transaction.

[[14]] 31. (Currently Amended) An integrated digital monitoring system comprising:

20 a fixed network comprising a controller and a plurality of detectors; and
a mobile network comprising a plurality of mobile sensors associated with
a plurality of mobile objects, such sensors and detectors coupled to the Internet;

wherein a first signal for monitoring an object associated therewith is received from at least one detector of the fixed network, and a second signal for monitoring the associated object is received from at least one of the mobile network, a location of the associated object being determined according to the first signal or the
5 second signal, the location of the associated object being stored in a database.

32. (New) Home-security console comprising:

a controller for monitoring at least one video camera provided in a fixed residential location; and

B7 10 a communicator coupled to the controller for communicating wirelessly with a target unit associated with an object observable by the video camera;

wherein the controller receives a location signal from the target unit via the communicator when the controller observes via the video camera the object associated with the target unit, the location signal associated with a surveillance area observable by
15 the video camera from the fixed residential location.

33. (New) The console of Claim 32 wherein:

the target unit comprises a cellphone having a global positioning satellite (GPS) receiver for generating the location signal.

20

34. (New) The console of Claim 32 wherein:

the video camera comprises an infra-red (IR) detector for detecting object motion.

35. (New) The console of Claim 32 wherein:
the video camera comprises a microphone for enabling image or voice recognition
by the controller.

5

36. (New) The console of Claim 32 wherein:
the video camera is hidden from the object, and a decoy camera that is uncoupled
to the controller is not hidden from the object.

B¹
10 37. (New) Cellphone for communicating with a networked controller comprising:
a wireless communicator for communicating remotely with a networked controller
via a network;

a locator for providing a cellphone location to the networked controller via the
wireless communicator; and

15 a sensor for providing an image, audio, or video signal of a cellphone user for
transmission to the networked controller via the wireless communicator.

38. (New) The cellphone of Claim 37 wherein:
the locator comprises a global positioning satellite (GPS) receiver.

20

39. (New) The cellphone of Claim 37 wherein:
the sensor comprises a camera capable of recording the image, audio or video
signal, and recognizing the cellphone user voice or image.

40. (New) The cellphone of Claim 37 further comprising:
a processor for running a transaction program for metering usage by the cellphone
user.

5

B⁷
41. (New) The cellphone of Claim 40 wherein:
the processor enables a local advertisement message that is pertinent to the
cellphone location to be presented to the cellphone user.

10

42. (New) The cellphone of Claim 40 wherein:
the processor runs a simulation of a cellphone user movement or behavior.

15